

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
F2-01	94	6.3	6.5	0.18	21.3	1
Incl.	93	8.4	4.5	0.25	14.8	1
Incl.	94	11.6	2.9	0.34	9.5	1
F2-01	212	4.1	7	0.12	23	1
Incl.	212	9.1	3	0.27	9.8	1
F2-01	232	6.8	11	0.2	36.1	1
Incl.	228	34.6	2	1.01	6.6	1
Incl.	229	23.2	3	0.68	9.8	1
Incl.	229	61.5	1	1.79	3.3	1
F2-02	96	5.4	10.3	0.16	33.8	1
Incl.	99	12.1	3.3	0.35	10.8	1
F2-02	170.9	9.7	1.1	0.28	3.6	1
F2-02	194	3	25.3	0.09	83	1
F2-02	237	12.3	2	0.36	6.6	1
Incl.	236	22.9	1	0.67	3.3	1
F2-02	291	16.8	1	0.49	3.3	1
F2-02	301	36	1	1.05	3.3	1
F2-02	346	5.2	2	0.15	6.6	1
F2-02	375	3.3	28	0.1	91.9	1
Incl.	368	5.1	9	0.15	29.5	1
Incl.	372	10.1	2	0.29	6.6	1
F2-03	238	8.2	1.5	0.24	4.9	1
F2-03	267	283.2	1	8.26	3.3	1
F2-04	174	21.5	0.5	0.63	1.6	1
F2-04	232	3.7	5.3	0.11	17.4	1
F2-04	325	13.9	2	0.41	6.6	1
Incl.	325	22.4	1	0.65	3.3	1
F2-04	536	6.3	4	0.18	13.1	1
Incl.	536	7.3	3	0.21	9.8	1
F2-05	122	4.9	2.5	0.14	8.2	1
F2-05	372	7.6	2	0.22	6.6	1
Incl.	372	14.2	1	0.41	3.3	1
F2-05	505	6	17	0.18	55.8	1
Incl.	497	42.6	0.5	1.24	1.6	1
Incl.	510	15.8	1	0.46	3.3	1
F2-05	524	12.1	2	0.35	6.6	1
Incl.	524	36.1	0.5	1.05	1.6	1
F2-06	68	6	2	0.17	6.6	1
F2-06	171	49	0.8	1.43	2.5	1
F2-06	226	3	17.5	0.09	57.4	1
F2-06	289	20	0.5	0.58	1.6	1
F2-06	348	3.8	13	0.11	42.7	1
Incl.	349	4.9	8.5	0.14	27.9	1
Incl.	347	8.7	2.5	0.25	8.2	1
Incl.	346	10.7	1	0.31	3.3	1
F2-06	369	3.1	9	0.09	29.5	1

Legend

0.2 – 0.5 gold (oz/t)
0.5 – 1 gold (oz/t)
>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
F2-06	381	12.6	7.5	0.37	24.6	1
Incl.	383	19.4	4.5	0.57	14.8	1
Incl.	384	119.8	0.5	3.49	1.6	1
F2-06	433	15.4	1	0.45	3.3	1
F2-07	228	6.3	5	0.18	16.4	1
Incl.	230	19.8	1	0.58	3.3	1
F2-07	239	12.6	2	0.37	6.6	1
Incl.	240	19.6	1	0.57	3.3	1
F2-07	246	73.2	3	2.14	9.8	1
F2-07	297	15.1	1	0.44	3.3	1
F2-07	319	3.5	16	0.1	52.5	1
Incl.	320	23	0.5	0.67	1.6	1
Incl.	320	15.8	1	0.46	3.3	1
F2-07	335	16	7	0.47	23	1
Incl.	335	21	5	0.61	16.4	1
Incl.	333	25.6	1.5	0.75	4.9	1
Incl.	335	22.2	3	0.65	9.8	1
F2-07	365	3	22	0.09	72.2	1
F2-07	380	24.4	17	0.71	55.8	1
Incl.	384	36.5	8	1.06	26.2	1
F2-07	396	3.1	17	0.09	55.8	1
F2-08	206	3.5	26	0.1	85.3	1
Incl.	205	4.2	24	0.12	78.7	1
Incl.	197	15.8	2	0.46	6.6	1
Incl.	197	24.8	1	0.72	3.3	1
F2-08	292	26.7	18	0.78	59.1	1
Incl.	294	42.4	11	1.24	36.1	1
F2-08	355	3.8	4.7	0.11	15.4	1
F2-08	393	3.1	5	0.09	16.4	1
F2-09	198	3.3	3.2	0.1	10.7	1
F2-09	341	3.3	15	0.09	49.2	1
Incl.	338	10	3.5	0.29	11.5	1
Incl.	338	53.1	0.5	1.55	1.6	1
F2-09	442	23.1	17.1	0.67	56.1	1
Incl.	442	28.7	15.5	0.84	50.9	1
Incl.	438	52.6	7.4	1.53	24.3	1
Incl.	439	353.8	0.9	10.32	3	1
Incl.	446	77.6	0.5	2.26	1.6	1
F2-10	90	19.5	1	0.57	3.3	1
F2-10	95	68.4	0.6	2	2	1
F2-10	169	43	1	1.25	3.3	1
F2-10	202	35.9	1	1.05	3.3	1
F2-10	208	19.4	1	0.57	3.3	1
F2-10	247	3.5	11	0.1	36.1	1
F2-10	257	13.9	3	0.41	9.8	1
F2-10	275	17.7	2	0.52	6.6	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
Incl.	276	29.4	1	0.86	3.3	1
F2-10	291	14.5	1	0.42	3.3	1
F2-10	323	8.3	30	0.24	98.4	1
F2-10	310	16.2	4	0.47	13.1	1
Incl.	319	48.2	0.5	1.41	1.6	1
Incl.	337	216.1	0.5	6.3	1.6	1
F2-10	352	3.9	3	0.11	9.8	1
F2-10	404	56.5	0.5	1.65	1.6	1
F2-10	409	20.2	0.5	0.59	1.6	1
F2-10	424	77.8	0.5	2.27	1.6	1
F2-11	235	3	9	0.09	29.5	1
F2-11	288	4.4	3	0.13	9.8	1
F2-11	301	8.2	1.5	0.24	4.9	1
F2-11	300	20.2	0.5	0.59	1.6	1
F2-11	308	3.3	3.5	0.1	11.5	1
F2-11	376	3	12.1	0.09	39.7	1
F2-11	390	25.7	1.6	0.75	5.2	1
Incl.	390	40.3	1	1.18	3.3	1
F2-12	84	20.8	0.5	0.61	1.6	1
F2-12	193	4.3	4	0.13	13.1	1
F2-13	70	5.2	2.2	0.15	7.2	1
F2-13	226	4.7	5	0.14	16.4	1
F2-14	384	6.9	7	0.2	23	1
Incl.	382	15.2	2	0.44	6.6	1
F2-14	394	26.4	0.9	0.77	2.8	1
F2-14-W1	451	5.7	4	0.17	13.1	1
F2-15	534	3.1	11	0.09	36.1	1
F2-15-W1	379	7.5	3.7	0.22	12.1	1
Incl.	378	17.6	1.3	0.51	4.3	1
F2-15-W1	393	19.1	1	0.56	3.3	1
F2-15-W1	497	5.5	2	0.16	6.6	1
F2-15-W1	514	4	7	0.12	23	1
Incl.	514	11.4	1	0.33	3.3	1
F2-16	380	17.2	1	0.5	3.3	1
F2-16	419	3.7	3.2	0.11	10.5	1
F2-16	428	3	16.1	0.09	52.8	1
F2-17	297	62	1	1.81	3.3	1
Incl.	297	117.7	0.5	3.43	1.6	1
F2-17	326	8.6	2	0.25	6.6	1
F2-17	450	3.8	4.4	0.11	14.4	1
F2-17-W1	Anomalous					
F2-17-W2	Anomalous					
F2-17-W3	302	70.4	0.5	2.05	1.6	1
F2-18	381	4.2	2.6	0.12	8.4	1
F2-19	17	22.8	1	0.67	3.3	1
F2-19	267	5.2	5	0.15	16.4	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
Incl.	267	7	3	0.2	9.8	1
F2-19	327	361.7	1.8	10.55	5.9	1
Incl.	326	811.4	0.8	23.67	2.6	1
F2-19	377	58.8	2.1	1.72	6.9	1
Incl.	377	121.7	1	3.55	3.3	1
Incl.	377	240.4	0.5	7.01	1.6	1
F2-20	662	12.6	1	0.37	3.3	2
F2-20	695	7.4	4	0.21	13.1	2
Incl.	694	12	2	0.35	6.6	2
F2-21	170	9.1	8.6	0.27	28.2	1
Incl.	168	97.8	0.5	2.85	1.6	1
F2-21	219	64.2	0.5	1.87	1.6	1
F2-21	232	11.7	2	0.34	6.6	1
Incl.	232	18.9	1	0.55	3.3	1
F2-21	269	17	2.5	0.5	8.2	1
Incl.	268	41.4	1	1.21	3.3	1
F2-21	273	10.3	1	0.3	3.3	1
F2-21	303	5.2	6	0.15	19.7	1
Incl.	300	35.8	0.5	1.04	1.6	1
F2-21	372	14.2	1.5	0.41	4.9	1
Incl.	372	19.6	1	0.57	3.3	1
F2-21	440	6.1	5	0.18	16.4	1
F2-21	456	6	2.7	0.17	8.9	1
F2-21	511	5.7	2	0.17	6.6	1
F2-21	525	10.2	2.6	0.3	8.5	1
Incl.	526	33.7	0.6	0.98	2	1
F2-21	535	13.8	2.6	0.4	8.7	1
Incl.	534	28.3	1	0.83	3.3	1
F2-22	102	29.6	0.5	0.86	1.6	1
F2-22	222	5.6	50.7	0.16	166.3	1
Incl.	207	6.8	20.3	0.2	66.6	1
Incl.	209	13.6	6	0.4	19.7	1
Incl.	209	106.4	0.5	3.1	1.6	1
Incl.	210	20.4	3.5	0.6	11.5	1
Incl.	221	13.4	1	0.39	3.3	1
Incl.	236	18.5	2	0.54	6.6	1
Incl.	238	8	6	0.23	19.7	1
Incl.	236	32.9	1	0.96	3.3	1
Incl.	246	12.2	2	0.36	6.6	1
F2-22	276	4.4	2.6	0.13	8.7	1
F2-22	227	4.9	5	0.14	16.4	1
F2-22	438	21.6	3	0.63	9.8	1
Incl.	437	53.3	1	1.55	3.3	1
Incl.	439	11.3	1	0.33	3.3	1
F2-23	606	4.3	3	0.13	9.8	2
F2-24	113	5.1	2	0.15	6.6	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
F2-24	411	9.2	7.4	0.27	24.3	1
Incl.	410	31.6	1	0.92	3.3	1
F2-24	635	4.4	7	0.13	23	2
Incl.	635	22.9	1	0.67	3.3	2
F2-25	147	5.2	2.6	0.15	8.5	1
F2-25	289	21.4	1	0.62	3.3	1
F2-25	325	6.4	5	0.19	16.4	1
Incl.	326	13.5	2	0.39	6.6	1
F2-25	437	5.6	4	0.16	13.1	1
Incl.	436	17.1	1	0.5	3.3	1
F2-25	487	3.3	24	0.1	78.7	1
F2-25	498	13.8	2	0.4	6.6	1
F2-26	Anomalous					
F2-27	Anomalous					
F2-28	Anomalous					
F2-29	326	477.1	3.8	13.91	12.3	1
Incl.	326	891.1	2	25.99	6.6	1
F2-29	417	109.8	0.5	3.2	1.6	1
F2-29	438	3.7	8	0.11	26.2	1
Incl.	438	22.6	1	0.66	3.3	1
F2-29	483	8.1	2	0.24	6.6	1
F2-29	527	13.9	1.2	0.4	3.9	1
F2-29	801	5.1	5.3	0.15	17.4	2
Incl.	802	10.5	1	0.31	3.3	2
F2-29	856	4.1	16.2	0.12	53	2
Incl.	861	8	6.1	0.23	20	2
Incl.	863	10.4	2.2	0.3	7.2	2
F2-30	Anomalous					
F2-30-W1	783	7.2	3	0.21	9.8	2
Incl.	783	8	2.6	0.23	8.5	2
F2-31	Anomalous					
F2-32	439	13.8	1	0.4	3.3	4
F2-32	556	4.4	2.6	0.13	8.5	6
F2-33	579	21.7	1	0.63	3.3	2
F2-33	598	19	1	0.55	3.3	2
F2-33	653	5.2	9	0.15	29.5	2
Incl.	655	8.4	3	0.24	9.8	2
F2-33	690	3.7	16	0.11	52.5	2
Incl.	683	7	3	0.2	9.8	2
F2-34	Lost hole					
F2-35	471	16.8	1.8	0.49	5.9	1
F2-35	881	41.9	2.2	1.22	7.1	2
Incl.	880	69.8	1	2.04	3.3	2
F2-35	1101	391.3	0.5	11.41	1.6	2
F2-35	1115	6.9	5.7	0.2	18.7	2
Incl.	1117	14.2	1.3	0.41	4.3	2

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
Incl.	1117	34.6	0.5	1.01	1.6	2
F2-35-W1	939	5.6	3	0.16	9.8	2
F2-36	436	4.8	3	0.14	9.8	4
Incl.	435	10.6	1	0.31	3.3	4
F2-36	449	3	3.5	0.09	11.5	4
F2-36	574	3.7	4.7	0.11	15.4	6
Incl.	574	3.8	2.9	0.11	9.5	6
F2-37	101	13.8	1	0.4	3.3	1
F2-37	143	13.3	1.5	0.39	4.9	1
Incl.	143	22.1	0.5	0.64	1.6	1
F2-37	305	13.1	3	0.38	9.8	1
Incl.	306	33.2	1	0.97	3.3	1
F2-38	403	22.7	1	0.66	3.3	4
F2-39	119	3151.1	0.5	91.91	1.6	3
F2-39	678	35.3	1	1.03	3.3	5
F2-39	715	3.5	4.9	0.1	16.1	5
F2-39	751	3.9	11	0.11	36.1	5
F2-39	772	3.5	4	0.1	13.1	5
F2-39	777	3.3	4	0.1	13.1	5
F2-39	812	6.8	3	0.2	9.8	5
Incl.	812	9.1	2	0.27	6.6	5
F2-39	822	6.5	6	0.19	19.7	5
Incl.	821	8	3	0.23	9.8	5
And	824	13.1	1	0.38	3.3	5
F2-39	959	5.2	2	0.15	6.6	5
F2-40	74	26.9	1	0.79	3.3	3
F2-40	592	7	3.5	0.2	11.5	5
Incl.	592	8	3	0.23	9.8	5
F2-40	598	3.7	6	0.11	19.7	5
F2-40	721	16.7	1	0.49	3.3	5
F2-41	43	43	0.5	1.25	1.6	1
F2-41	74	5.1	48	0.15	157.5	1
Incl.	53	260.5	0.5	7.6	1.6	1
F2-41	114	4.9	3	0.14	9.8	1
F2-42	74	5.7	7.8	0.17	25.8	1
Incl.	75	6.2	7	0.18	23	1
Incl.	76	15.7	1.1	0.46	3.6	1
F2-42	91	6.1	6	0.18	19.7	1
Incl.	93	18.5	1	0.54	3.3	1
F2-42	170	4.8	14.7	0.14	48.2	1
Incl.	164	20.1	0.7	0.58	2.3	1
F2-42	663	15.5	4	0.45	13.1	2
Incl.	663	19.7	3	0.57	9.8	2
Incl.	663	37.4	1.2	1.09	3.9	2
F2-42	672	119.6	0.5	3.49	1.6	2
F2-43	699	6.8	3.5	0.2	11.5	5

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
Incl.	698	8.7	2.5	0.25	8.2	5
F2-43	965	10.8	1	0.32	3.3	5
F2-44	32	9.2	2.5	0.27	8.2	4
F2-44	39	173.7	2.5	5.07	8.2	4
Incl.	38	854.1	0.5	24.91	1.6	4
F2-45	Anomalous					
F2-46	Anomalous					
F2-47	137	34.6	1	1.01	3.3	1
F2-48	114	5.3	4	0.16	13.1	1
F2-49	164	4.5	8.6	0.13	28.4	1
F2-50	185	4.2	3	0.12	9.8	1
F2-51	447	31	0.8	0.91	2.5	1
F2-52	56	3.3	7	0.09	23	1
Incl.	58	4.4	4	0.13	13.1	1
F2-52	348	12.8	0.9	0.37	3	1
F2-52	391	17.8	1	0.52	3.3	1
F2-52	600	10.9	1.8	0.32	5.9	2
Incl.	599	18.8	0.8	0.55	2.6	2
F2-52	920	17.7	2	0.51	6.6	2
Incl.	919	23.8	1	0.69	3.3	2
F2-52	1006	124.2	3	3.62	9.8	2
Incl.	1006	322.3	1	9.4	3.3	2
F2-53	Anomalous					
F2-53a	No significant assays					
F2-54	56	4.3	13	0.13	42.7	1
Incl.	53	37.3	1	1.09	3.3	1
F2-54	84	4.2	6	0.12	19.7	1
Incl.	86	9.4	2	0.28	6.6	1
Or	86	12.8	1	0.37	3.3	1
F2-54	383	14	1	0.41	3.3	1
F2-55	485	11.3	1	0.33	3.3	4
F2-56	45	4.1	25.6	0.12	84	1
Incl.	48	8.3	8	0.24	26.2	1
Incl.	46	26.3	1	0.77	3.3	1
F2-56	51	12.1	2	0.35	6.6	1
Incl.	51	42.4	0.5	1.24	1.6	1
F2-56	118	2.1	8	0.06	26.2	1
F2-57	96	3.4	6	0.1	19.7	1
F2-57	120	12.3	30	0.36	98.4	1
F2-57	109	68.8	4	2.01	13.1	1
Incl.	109	368.9	0.5	10.76	1.6	1
Incl.	121	16	1.5	0.47	4.9	1
Incl.	121	41.7	0.5	1.22	1.6	1
F2-58	68	238.6	1	6.96	3.3	1
F2-58	136	3.1	9.3	0.09	30.7	1
Incl.	135	4.1	5	0.12	16.4	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
Incl.	136	11.5	1	0.34	3.3	1
F2-59	200	39.3	3.7	1.15	12.1	1
Incl.	199	263.4	0.5	7.68	1.6	1
F2-60	Anomalous					
F2-60B	309	5.1	6	0.15	19.7	1
F2-61	127	5.4	5.9	0.16	19.4	1
Incl.	126	9	3	0.26	9.8	1
F2-61B	218	3.6	49	0.11	160.7	1
Incl.	209	6.5	13	0.19	42.6	1
Incl.	221	33	1	0.96	3.3	1
Incl.	217	9.1	5	0.26	16.4	1
Incl.	218	14.1	3	0.41	9.8	1
F2-62	Anomalous					
F2-62B	95	14.2	1	0.41	3.3	4
F2-62B	190	4	3	0.12	9.9	4
F2-63	Anomalous					
F2-63B	85	14	1	0.41	3.3	4
F2-63B	181	7.1	7.6	0.21	24.8	4
F2-63B	178	37.6	1	1.1	3.3	4
F2-63B	381	123.5	1	3.6	3.3	4
F2-64	180	42.9	2	1.25	6.6	3
F2-64	181	78.9	1	2.3	3.3	3
F2-64	1437	3.3	5	0.1	16.4	8
F2-65	409	22.9	0.5	0.67	1.6	1
F2-65	421	12.2	1	0.36	3.3	1
F2-66	1032	22.6	1	0.66	3.3	5
F2-66	1032	40.9	0.5	1.19	1.6	5
F2-66	1151	10.2	5	0.3	16.4	8
F2-66	1152	13.5	3	0.39	9.8	8
F2-66	1152	33.7	1	0.98	3.3	8
FE-09-01	237	3.6	3	0.1	9.8	
FE-09-01	243	12.8	1	0.37	3.3	
DS-09-02	77	7.7	1	0.22	3.3	
DS-09-02	125	5	1	0.15	3.3	
DS-09-02	315	7.3	1	0.21	3.3	
DS-09-02	318	3.9	1.5	0.11	5.1	
DS-09-03	105	4.8	1	0.14	3.3	
DS-09-04	614	15.7	0.5	0.46	1.6	
F2-67	Anomalous					
F2-70	135	12.45	1	0.36	3.3	4
F2-71	274	3.43	3	0.1	9.8	4
F2-71	382	6.29	3	0.18	9.8	4
F2-72	190	4.09	4	0.12	13.1	4
F2-72	201	6.01	2.7	0.18	8.9	4
F2-72	216	46.37	2	1.35	6.6	4
F2-72	309	6.41	6	0.19	19.7	4

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
F2-72	309	23.31	1	0.68	3.3	4
F2-73	565	3.58	2.9	0.1	9.5	6
122-03	Anomalous					
122-08	225	24.95	1	0.73	3.3	4
122-08	243	3.21	9	0.09	29.5	4
122-08	244	23.04	0.5	0.67	1.6	4
F2-68	Anomalous					
F2-69	No significant assays					
122-01	Anomalous					
122-02A	105	12.24	1	0.36	3.3	1
122-04	337	4.71	2.2	0.14	7.1	3
122-04	380	13.2	1.1	0.39	3.6	3
122-04	458	10.97	1	0.32	3.3	3
122-04	464	6.61	2	0.19	6.6	3
F2-74	No significant assays					
F2-75	No significant assays					
122-7B	555	10.3	1	0.3	3.3	5
122-10	673	13.7	44.9	0.4	147.3	5
incl.	668	28.4	18	0.83	59	5
Or	661	111.5	2	3.25	6.6	5
Or	668	14.2	3	0.42	9.8	5
Or	674	130.9	1.5	3.82	4.9	5
122-09		457.4	0.5	13.34	1.6	4
122-11	Anomalous					
122-12	249	24	1	0.7	3.3	4
122-12	326	7.9	4	0.23	13.1	4
incl.	326	23.1	1	0.67	3.3	4
122-13	658	14.1	4	0.41	13.1	5
incl.	658	73.6	0.5	2.15	1.6	5
and incl.	659	18.4	1	0.54	3.3	5
122-13	679	3.1	4.1	0.09	13.4	5
122-13	940	3	6.8	0.09	22.3	5
122-13	953	3.7	6.3	0.11	20.7	5
122-15	327	8.4	2.5	0.24	8.2	1
incl.	328	28.2	0.5	0.82	1.6	1
122-15	358	5.5	2.5	0.16	8.2	1
122-15	485	16	2	0.47	6.6	1
incl.	485	30.7	1	0.9	3.3	1
F2-76	Anomalous					
F2-77	383	49.5	0.5	1.44	1.6	
F2-79	Anomalous					
F2-80	486	61	0.5	1.78	1.6	3
F2-80-W1	Did not test/reach target					
F2-80-W2	488	35.9	1.5	1.05	4.9	3
F2-80-W2	501	36.1	0.5	1.05	1.6	3
F2-80-W2	527	4.7	5.1	0.14	16.7	3

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
F2-80-W2	551	4.7	14.6	0.14	47.9	5
incl.	551	12.4	1	0.36	3.3	5
F2-64-W1	1349	80.7	0.7	2.35	2.3	7
F2-64-W1	1384	6.3	3.9	0.18	12.8	7
incl.	1384	20.1	0.9	0.59	3	7
F2-80-W2	598	4.1	41	0.12	134.5	5
Incl.	608	12	5	0.35	16.4	5
F2-80-W2	662	9.8	8	0.29	26.2	2
incl.	662	21.7	2	0.63	6.6	2
F2-80-W2	724	44	0.7	1.28	2.3	2
122-14	111	16.8	1	0.49	3.3	1
122-14	335	3.9	8.3	0.11	27.1	1
Incl.	334	10	1	0.29	3.3	1
122-16	525	5.1	3	0.15	9.8	3
122-16	608	11.4	8	0.33	26.2	5
incl.	608	16.8	3	0.49	9.8	5
And incl.	607	52.8	0.5	1.54	1.6	5
122-16	618	33.6	1	0.98	3.3	5
122-16	656	3.5	10	0.1	32.8	5
122-17	330	4.6	25	0.13	82	1
incl.	334	8.9	10	0.26	32.8	1
And incl.	331	36.9	1	1.07	3.3	1
And incl.	336	25.2	1	0.73	3.3	1
122-23	291	12.9	1.5	0.37	4.9	1
incl.	291	34.8	0.5	1.02	1.6	1
122-23	476	24.1	0.5	0.7	1.6	1
122-23	496	48.8	1	1.42	3.3	1
incl.	496	88.8	0.5	2.59	1.6	1
122-14	335	3.9	8.3	0.11	27.1	1
122-18	134	14.8	1	0.43	3.3	3
122-19	381	10.7	3	0.31	9.8	4
incl.	381	29.7	0.9	0.87	3	4
122-19	397	5.8	2.5	0.17	8.2	4
122-20	Abandoned					
122-21	347	7.4	9	0.22	29.5	1
incl.	348	38.6	1.2	1.13	3.9	1
122-21	390	3	4	0.09	13.1	1
122-21	464	4	6	0.12	19.7	3
122-22	249	18.4	1	0.54	3.3	3
122-24	461	11.3	1	0.33	3.3	1
122-24	474	69.5	1	2.03	3.3	1
122-24	502	3	7.2	0.09	23.6	1
122-24	546	19.5	1.5	0.57	4.9	1
incl.	546	27.4	1	0.8	3.3	1
122-24	552	35.1	1	1.02	3.3	2
122-25	Anomalous					

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
122-26	No significant assays					
122-27	No significant assays					
122-28	135	3.2	6	0.09	19.7	3
incl.	136	12.7	1	0.37	3.3	3
122-29	277	3.6	3	0.11	9.8	4
122-29	293	45.5	1	1.33	3.3	4
122-32	440	70.7	0.6	2.06	2	4
F2-79	Anomalous					
F2-80	550	3.2	5.3	0.09	17.4	5
F2-80	487	12.9	3	0.38	9.8	3
incl.	486	61	0.5	1.78	1.6	3
F2-80	723	11.1	2	0.32	6.6	2
F2-80	819	5	2	0.15	6.6	2
F2-80-W2	706	3.4	4	0.1	13.1	2
F2-81	290	5.2	5.4	0.15	17.6	4
incl.	292	25.7	0.7	0.75	2.1	4
F2-81	341	3.6	5	0.1	16.4	4
122-28	625	13.2	3	0.39	9.8	5
122-29	320	3.3	8.5	0.1	27.9	4
122-29	391	3.9	3	0.11	9.8	4
122-29	404	7.9	2	0.23	6.6	4
incl.	404	10.2	1	0.3	3.3	4
122-30	No significant assays					
122-31	Anomalous					
122-33	Lost hole					
122-34	270	3.6	3.3	0.11	10.8	1
122-36	Lost hole					
122-37	No significant assays					
122-38	184	4.2	9.9	0.12	32.6	1
incl.	185	16.2	2	0.47	6.6	1
122-39	804	64.9	3.5	1.89	11.6	2
incl.	803	444.7	0.5	12.97	1.6	2
122-40	459	24.6	1	0.72	3.3	3
122-40	467	20.7	14.3	0.6	46.9	3
incl.	470	493.6	0.5	14.4	1.6	3
F2-64W2	1323	16.8	3.4	0.49	11	7
incl.	1322	29.6	0.7	0.86	2.3	7
or incl.	1324	54.1	0.5	1.58	1.6	7
F2-64W2	1328	11.2	1.5	0.33	4.9	7
incl.	1329	29.1	0.5	0.85	1.6	7
HW-3	69	62	1	1.81	3.3	3
122-16	755	14.0	1.0	0.41	3.3	5
122-35	134	5.8	3.2	0.17	10.5	3
incl.	135	21.4	0.7	0.62	2.3	3
122-39	748	7.0	5.6	0.20	18.5	2
incl.	749	27.5	0.9	0.80	2.8	2

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
122-40	413	16.8	1.0	0.49	3.3	3
122-41	Anomalous					
122-42	No significant assays					
122-43	479	4.8	15.1	0.14	49.5	1
incl.	474	51.9	0.5	1.51	1.6	1
incl.	484	21.8	1.0	0.64	3.3	1
122-43	537	23.1	3.5	0.67	11.5	1
incl.	537	74.5	1.0	2.17	3.3	1
incl.	536	98.5	0.5	2.87	1.6	1
122-44	699	3.6	7.7	0.11	25.3	2
122-44	835	51.2	0.5	1.49	1.6	2
122-45	562	7.3	3.1	0.21	10.2	2
incl.	561	11.9	1.2	0.35	3.9	2
122-45	610	3.4	5.0	0.10	16.4	2
incl.	612	20.6	0.5	0.60	1.6	2
122-46B	772	9.3	12.7	0.27	41.5	5
incl.	768	127.9	0.5	3.73	1.6	5
HW-4	Anomalous					
F2-82	Anomalous - Lost Hole					
F2-83	310	3.4	3.0	0.10	9.8	4
F2-84	81	3.6	5.0	0.11	16.4	1
incl.	81	13.4	1.0	0.39	3.3	1
F2-84	108	5.8	8.0	0.17	26.2	1
incl.	107	10.2	3.0	0.30	9.8	1
F2-84	838	3.3	7.0	0.10	23.0	5
F2-85	308	15.6	1.0	0.46	3.3	4
F2-85	453	4.5	17.0	0.13	55.8	4
incl.	453	41.6	1.1	1.21	3.6	4
F2-85	481	3.0	10.0	0.09	32.8	4
122-46	134	3.4	6.1	0.1	20.0	3
122-46B	134	3.2	4.9	0.09	16.1	3
122-46B	164	16.8	0.9	0.49	3.0	3
122-47	513	7.3	2	0.21	6.6	1
122-47	660	16	0.7	0.47	2.3	2
122-48	315	43.3	0.5	1.26	1.6	1
122-48	336	128.6	0.5	3.75	1.6	1
122-48	699	10.7	1	0.31	3.3	2
122-49	335	11.5	1	0.34	3.3	1
122-49	744	3	10	0.09	32.8	2
122-51	500	8.5	1.3	0.25	4.3	1
122-51	588	87.5	0.5	2.55	1.6	2
122-51	595	6.1	2.3	0.18	7.5	2
122-56	926	7.7	26.4	0.22	86.6	2
incl.	919	24	5.5	0.7	18	2
And Incl.	917	100.5	0.5	2.93	1.6	2
F2-86	Anomalous					

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
F2-86B	605	3.2	4.3	0.09	14.1	6
F2-86B	620	3.3	6.6	0.1	21.6	6
F2-87	No significant assays					
F2-88	227	3.3	4	0.1	13.1	4
F2-88	285	3.3	6.7	0.1	22.0	4
F2-88	366	6.6	3	0.19	9.8	4
F2-88	611	7.6	11.9	0.22	39.0	6
incl.	610	28.2	0.5	0.82	1.6	6
Or	614	25.8	2	0.75	6.6	6
F2-89	264	87.6	1.5	2.56	4.9	4
incl.	264	129.6	1	3.78	3.3	4
F2-89	294	4.2	3.2	0.12	10.5	4
122-50	Anomalous					
122-53	361	5.1	6.0	0.15	19.7	1
122-54	440	4.7	10.7	0.14	35.1	1
Incl.	440	10.9	3.0	0.32	9.8	1
Sub incl.	440	34.5	0.5	1.01	1.6	1
122-57	435	5.6	1.8	0.16	5.9	1
122-60	928	18.2	5.5	0.53	18	2
Incl.	927	56.8	0.5	1.66	1.6	2
And incl.	929	35.8	0.5	1.04	1.6	2
And incl.	930	52.1	0.5	1.52	1.6	2
122-62A	337	12.8	2.0	0.37	6.6	1
122-62A	411	2617.8	0.5	76.35	1.6	1
305-03	918.1	5.1	14.0	0.15	45.9	5
Incl.	920.8	27.2	1	0.79	3.3	5
And incl.	923.1	13.8	1.0	0.40	3.3	5
F2-78-W3	Did not reach Target					
F2-89	566	9.3	1.1	0.27	3.6	4
F2-90	359	3.2	5.0	0.09	16.4	4
F2-90	432	25.1	1	0.73	3.3	4
F2-90	194	23.5	1	0.69	3.3	4
F2-91	663	10.9	5	0.32	16.4	5
Incl.	661	48	1	1.4	3.3	5
F2-92	444	3.0	7.0	0.09	23.0	2
F2-92	259	6.6	3.9	0.19	12.8	2
Incl.	258	12.8	1.8	0.37	5.9	2
F2-93	91	4.4	2.3	0.13	7.5	1
F2-95	876.7	17.5	5.1	0.51	16.7	2
Incl.	877.7	28.4	3	0.83	9.8	2
HW-5	No significant assays					
HW-6	183	36.3	1	1.06	3.3	3
HW-7	Anomalous					
HW-8	Anomalous					
HW-9	No significant assays					
HW-10	No significant assays					

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
305-05	321	7.9	44.5	0.23	146	1
Incl.	323	20.1	15	0.59	49.2	1
Sub incl.	323	42.5	6.9	1.24	22.6	1
Sub incl.	323	81.8	2.9	2.39	9.5	1
Sub incl.	323	283.1	0.5	8.26	1.6	1
122-55	274	5.8	2.2	0.2	7.1	3
122-58	672	3.0	10.1	0.1	33.1	6
122-58	742	36.7	0.9	1.07	2.95	6
122-58	749	31.10	1.00	0.91	3.28	6
122-59	Anomalous					
122-61	No Significant Assays					
122-62A	687	12.5	1.0	0.36	3.28	2
122-62A	720	4.4	3.1	0.13	10.17	2
122-63	No Significant Assays					
122-64	Anomalous					
122-65	Anomalous					
122-66	Anomalous					
122-68	196	131.8	0.5	3.84	1.64	1
122-68	490	5.4	3.0	0.16	9.84	1
122-68	583	3.1	4.7	0.09	15.42	6
122-68	592	5.0	6.0	0.15	19.68	6
305-01	308	3.1	4.0	0.09	13.12	1
305-02	Lost Hole					
305-03	887	13.6	1.0	0.40	3.28	5
305-04	1218	3.0	4.0	0.09	13.12	8
305-07	283	3.7	3.4	0.11	11.15	1
305-07	291	11.6	11.9	0.34	39.0	1
Incl.	291	72.9	1.5	2.13	4.92	1
Incl.	291	207.7	0.5	6.06	1.64	1
305-08	Anomalous					
305-09	426	15.4	1	0.45	3.28	1
305-11	302	2.95	4.7	0.09	15.42	1
305-11	304	20.1	16.2	0.58	53.14	1
Incl.	304	34.7	6.7	1.01	21.98	1
Incl.	304	59	3	1.72	9.84	1
F2-64-W3	1339	3.7	3.3	0.11	10.82	7
F2-64-W4	Anomalous					
F2-94	899	22.3	6.7	0.65	22.00	5
Incl.	898	36.00	3	1.05	9.80	5
And Incl.	902	73.70	0.55	2.15	1.80	5
F2-95	431	3.7	4	0.11	13.12	1
F2-96	Anomalous					
F2-96A	Anomalous					
F2-97	Anomalous					
F2-98	Anomalous					
F2-99	539	14.1	1	0.41	3.28	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
F2-99	947	6.7	2	0.20	6.56	2
F2-101	80	49.6	0.5	1.45	1.60	4
F2-101	248	50.3	0.5	1.47	1.64	4
F2-101	491	72.3	0.5	2.11	1.64	4
F2-101	603	37.7	3	1.10	9.84	6
Incl.	604	201.2	0.5	5.87	1.64	6
F2-101	819	8.6	4.1	0.25	13.45	6
Incl.	820	34.8	0.5	1.02	1.64	6
F2-102	471	16	36	0.47	118.08	4
Incl.	478	31.2	17	0.91	55.76	4
Incl.	480	40.5	11.5	1.18	37.72	4
F2-102	500	10.1	2	0.29	6.56	4
F2-100A	1085	7.3	1.8	0.21	5.9	5
F2-100A	1129	3.1	14	0.09	45.9	5
Incl.	1127	6.8	5	0.2	16.4	5
Incl.	1129	17.4	1	0.51	3.3	5
F2-100A	1174	4.9	2.5	0.14	8.2	8
F2-100A	1276	4.6	8	0.13	26.2	8
Incl.	1275	15.1	1	0.44	3.3	8
And Incl.	1279	16.6	1	0.48	3.3	8
F2-100A	1320	754.2	0.5	22	1.6	8
F2-100A	1453	13.3	1.4	0.39	4.6	8
F2-100A-W1	1082	9.2	9.6	0.27	31.5	5
Incl.	1086	142.6	0.5	4.16	1.6	5
F2-100A-W1	1327	6.4	3	0.19	9.8	8
F2-102	515	24.8	1	0.72	3.3	4
F2-103	69	373.8	0.5	10.9	1.6	4
F2-103A	376	12.4	1.5	0.36	4.8	4
F2-103A	395	3.5	5	0.1	16.4	4
F2-103A	407	27.4	0.5	0.8	1.6	4
F2-103A	414	6.2	2.5	0.18	8.2	4
F2-104	486	3.2	12.4	0.09	40.7	4
Incl.	481	9.9	2	0.29	6.6	4
F2-104	582	40	1	1.17	3.3	6
122-67	824	3	6	0.09	19.7	5
Incl.	825	11	1	0.32	3.3	5
122-67	941	16.3	5.1	0.48	16.7	5
Incl.	940	21.8	3.6	0.64	12	5
Incl.	940	39.9	1	1.16	3.3	5
122-69	430	23.7	1	0.69	3.3	1
122-70	167	170.9	1	4.98	3.3	3
122-70	817	34.3	1	1	3.3	5
122-70	847	3.3	4	0.1	13.1	5
305-05	310	5.2	3.4	0.15	11.2	1
Incl.	310	11.6	1.2	0.34	3.9	1
305-05	311	3.1	7.5	0.09	24.6	1

Legend

0.2 – 0.5 gold (oz/t)
0.5 – 1 gold (oz/t)
>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
Incl.	311	24.2	0.5	0.71	1.6	1
305-05-W1	310	3.9	6	0.11	19.7	1
305-05-W1	363	3.5	7	0.1	23	1
Incl.	362	6	3	0.18	9.8	1
305-05-W1	370	3.4	8	0.1	26.2	1
305-06	1398	10.9	9	0.32	29.5	8
Incl.	1396	18.6	4.5	0.54	14.8	8
Incl.	1394	104.7	0.5	3.05	1.6	8
305-10	Anomalous					
305-11	292	8.3	3.6	0.24	11.8	1
Incl.	292	25.7	1.1	0.75	3.6	1
F2-100A-W2	1075	20.3	1	0.59	3.3	5
F2-100A-W2	1280	35	1	1.02	3.3	8
F2-105	436	4.1	9.6	0.12	31.5	3
Incl.	439	11.8	2.5	0.34	8	3
F2-105	478	8.6	6.8	0.25	22.3	3
Incl.	475	74.3	0.5	2.17	1.6	3
F2-106	548	3.7	4	0.11	13.1	5
F2-108	1246	152.9	0.5	4.46	1.6	south of Area 8
F2-108-W1	1286	2287.1	0.6	66.71	2.1	south of Area 8
PR-10-18	251	102.7	0.6	3	2	south of Area 8
PR-10-18	775	4.1	5.5	0.12	18	south of Area 8
Incl.	772	22.6	0.5	0.66	1.6	south of Area 8
122-52	Anomalous					
122-71	132	13.2	4	0.39	13.1	3
Incl.	131	44.1	1	1.29	3.3	3
122-71	841	7.3	2.3	0.21	7.5	5
122-71	840	10.5	1.4	0.31	4.6	5
122-72	Anomalous					
122-73	131	3.4	4	0.1	13.1	3
122-73	882	5.8	4	0.17	13.1	5
122-73	898	4	3.5	0.12	11.5	5
122-73	956	3.7	3	0.11	9.8	5
122-73	1023	3.4	3	0.1	9.8	5
122-73	1280	227.5	0.5	6.64	1.6	8
122-74	334	51.6	0.5	1.51	1.6	3
122-74	1075	22.1	2	0.64	6.6	5
Incl.	1075	34.4	1	1	3.3	5
305-05-W1	378	3.4	3	0.1	9.8	1
305-09A	1011	8.6	3.7	0.25	12.1	2
Incl.	1012	21.8	1	0.64	3.3	2
305-12	No Significant Assay					
305-13	1095	3	5	0.09	16.4	2
305-14	No Significant Assay					
305-15	270	14.4	3.5	0.42	11.5	1
Incl.	270	24.1	1.4	0.7	4.6	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
305-15	261	3.3	43.6	0.1	143	1
Incl.	260	8.5	9.6	0.25	31.5	1
And Incl.	260	21.8	1.7	0.64	5.6	1
305-16	Anomalous					
305-17	231	4.4	11.6	0.13	38	1
Incl.	230	8.9	3.6	0.26	11.8	1
305-18	323	8.3	3.4	0.24	11.2	1
305-19	335	3.1	4	0.09	13.1	1
305-21	Anomalous					
305-28	273	18.9	2.5	0.55	8.2	1
Incl.	273	74.6	0.5	2.18	1.6	1
305-28	270	3	9	0.09	29.5	1
Incl.	270	22.2	0.5	0.65	1.6	1
305-28	269	112.7	1	3.29	3.3	1
D305-05-013	304	17	1.8	0.5	5.9	1
	303	5.6	3.6	0.16	11.8	1
	303	26.5	1	0.77	3.3	1
D305-05-014	302	669.1	0.8	19.52	2.6	1
D305-05-015	303	5.2	4.1	0.15	13.4	1
D305-05-016	295	568.9	2.5	16.59	8.2	1
Incl.	295	1406.8	1	41.03	3.3	1
D305-05-017	304	6.7	6.3	0.2	20.7	1
Incl.	304	17.4	1.5	0.51	4.9	1
And Incl.	304	38.5	0.5	1.12	1.6	1
D305-05-018	Anomalous					
D305-05-019	Anomalous					
D305-05-020	297	93.8	2	2.74	6.6	1
Incl.	297	183	1	5.34	3.3	1
D305-05-003A	308	7	22	0.2	72.2	1
Incl.	308	17.6	5	0.51	16.4	1
And Incl.	309	31.9	2.4	0.93	7.9	1
Or	309	25	1.4	0.73	4.6	1
D305-05-009	308	5.3	2.5	0.15	8.2	1
	309	5.9	17.5	0.17	57.4	1
Incl.	309	18.6	1	0.54	3.3	1
or	310	16	4.3	0.47	14.1	1
And Incl.	310	31.8	1.7	0.93	5.6	1
	311	6.9	4.5	0.2	14.8	1
Incl.	311	10.2	2.7	0.3	8.9	1
D305-05-012	310	8.3	43	0.24	141	1
Incl.	309	16.1	4	0.47	13.1	1
Or	311	16.7	14.7	0.49	48.2	1
And Incl.	312	23.6	5.2	0.69	17.1	1
D305-05-012	313	5.4	3.9	0.16	12.8	1
D305-05-006	Anomalous					
D305-04-003	311	5.2	16	0.15	52.5	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
Incl.	310	9.8	2	0.29	6.6	1
Or	311	17.5	1.6	0.51	5.2	1
D305-04-003	313	29.8	0.8	0.87	2.6	1
D305-04-006	309	32.5	0.5	0.95	1.6	1
	313	6.3	1.6	0.18	5.2	1
D305-04-009	311	5	2.2	0.15	7.2	1
D305-04-012	Anomalous					
D305-04-015	310	31.4	5.8	0.92	19	1
Incl.	310	330.8	0.5	9.65	1.6	1
D305-04-018	Anomalous					
D305-05-001	302	5.6	18.5	0.16	60.7	1
Incl.	302	17.9	3.6	0.52	11.6	1
And Incl.	302	38.7	1.6	1.13	5.1	1
D305-05-002	297	5.2	16	0.15	52.5	1
Incl.	296	16.4	3.7	0.48	12.1	1
And Incl.	296	37.2	1	1.09	3.3	1
D305-05-004	301	11.4	2	0.33	6.4	1
Incl.	301	21	1	0.61	3.3	1
D305-05-005	296	5	26.6	0.15	87.2	1
Incl.	297	21.1	5	0.62	16.4	1
And Incl.	297	146.3	0.6	4.27	2	1
D305-05-007	301	5.5	28.2	0.16	92.5	1
Incl.	302	19.5	1.8	0.57	5.9	1
Or	301	16.2	3.2	0.47	10.5	1
D305-05-008	296	5.7	23.5	0.17	77.1	1
Incl.	297	28	3	0.82	9.8	1
D305-05-010	303	5	9.5	0.15	31.2	1
Incl.	303	10.5	2.1	0.31	6.9	1
D305-05-011	303	6.5	3.7	0.19	12.1	1
Incl.	303	14	1.5	0.41	4.9	1
D305-05-011	295	5.8	2.7	0.17	8.9	1
D305-04-001	302	5.6	12.8	0.16	42	1
Incl.	302	22.9	1.9	0.67	6.2	1
D305-04-002	295	5	11.4	0.15	37.2	1
Incl.	295	12.4	3	0.36	9.8	1
D305-04-004	Anomalous					
D305-04-005	296	12	1	0.35	3.3	1
	293	5.3	7.2	0.15	23.6	1
Incl.	293	16.3	1	0.48	3.3	1
D305-04-007	302	5.1	3.4	0.15	11.2	1
D305-04-008	Anomalous					
D305-04-010	302	5.9	2.5	0.17	8.2	1
D305-04-011	295	18.5	1	0.54	3.3	1
D305-04-013	Anomalous					
D305-04-014	293	9.8	2.8	0.29	9.2	1
D305-04-016	Anomalous					

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
D305-04-017	294	15.6	9.5	0.46	31.2	1
Incl.	293	46.3	3	1.35	9.8	1
D305-04-019	289	5.7	2.3	0.17	7.5	1
D305-04-020	274	5.8	1.9	0.17	6.2	1
D305-05-013*	304	17	1.8	0.5	5.9	1
	303	5.6	3.6	0.16	11.8	1
	303	26.5	1	0.77	3.3	1
D305-05-014*	302	669.1	0.8	19.52	2.6	1
D305-05-015*	303	5.2	4.1	0.15	13.4	1
D305-05-016*	295	568.9	2.5	16.59	8.2	1
Incl.	295	1406.8	1	41.03	3.3	1
D305-05-017*	304	6.7	6.3	0.2	20.7	1
Incl.	304	17.4	1.5	0.51	4.9	1
And Incl.	304	38.5	0.5	1.12	1.6	1
D305-05-018*	Anomalous					
D305-05-019*	Anomalous					
D305-05-020*	297	93.8	2	2.74	6.6	1
Incl.	297	183	1	5.34	3.3	1
D305-05-037	303	13.6	1.7	0.4	5.6	1
	302	8.7	1.5	0.25	4.9	1
D305-05-038	Anomalous					
D305-05-039	300	9.8	5.5	0.29	18	1
Incl.	301	20.8	1.9	0.61	6.2	1
D305-05-040	Anomalous					
D305-05-041	Anomalous					
D305-05-042	302	78.6	0.5	2.29	1.6	1
D305-05-043	283	19.5	2	0.57	6.6	1
Incl.	282	39.5	1	1.15	3.3	1
D305-05-044	292	16.2	1	0.47	3.3	1
D305-05-045	293	7.8	2	0.23	6.6	1
Incl.	293	13.5	1	0.39	3.3	1
D305-05-046	293	5.1	4	0.15	13.1	1
	289	5.4	3.8	0.16	12.5	1
Incl.	288	14.1	0.9	0.41	3	1
	303	5.6	3.6	0.16	11.8	1
	303	26.5	1	0.77	3.3	1
D305-05-014*	302	669.1	0.8	19.52	2.6	1
D305-05-015*	303	5.2	4.1	0.15	13.4	1
D305-05-016*	295	568.9	2.5	16.59	8.2	1
Incl.	295	1406.8	1	41.03	3.3	1
D305-05-017*	304	6.7	6.3	0.2	20.7	1
Incl.	304	17.4	1.5	0.51	4.9	1
And Incl.	304	38.5	0.5	1.12	1.6	1
D305-05-018*	Anomalous					
D305-05-019*	Anomalous					
D305-05-020*	297	93.8	2	2.74	6.6	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Depth to Centre of Intercept (m)	Gold (g/t)	Metres	Gold (oz/t)	Feet	9X Target Area
Incl.	297	183	1	5.34	3.3	1
D305-05-037	303	13.6	1.7	0.4	5.6	1
	302	8.7	1.5	0.25	4.9	1
D305-05-038	Anomalous					
D305-05-039	300	9.8	5.5	0.29	18	1
Incl.	301	20.8	1.9	0.61	6.2	1
D305-05-040	Anomalous					
D305-05-041	Anomalous					
D305-05-042	302	78.6	0.5	2.29	1.6	1
D305-05-043	283	19.5	2	0.57	6.6	1
Incl.	282	39.5	1	1.15	3.3	1
D305-05-044	292	16.2	1	0.47	3.3	1
D305-05-045	293	7.8	2	0.23	6.6	1
Incl.	293	13.5	1	0.39	3.3	1
D305-05-046	293	5.1	4	0.15	13.1	1
	289	5.4	3.8	0.16	12.5	1
Incl.	288	14.1	0.9	0.41	3	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

RUBICON MINERALS CORPORATION

RMX:TSX | RBY:NYSE.AMEX

Hole	Elevation Level	Gold (g/t)	Width (m)	Estimated True Width (m)	Gold (oz/ton)	Width (ft)	Estimated True Width (ft)	9X Target Area
D305-04-025	229	10.4	1.5	Not Yet Known	0.3	4.9	Not Yet Known	1
	226	11.4	1.7	Not Yet Known	0.33	5.6	Not Yet Known	1
D305-04-026	220	14.5	1	0.6	0.42	3.3	1.9	1
	217	11.3	1	0.6	0.33	3.3	1.9	1
	213	19.9	1	0.6	0.58	3.3	1.9	1
	173	12.8	1	0.6	0.37	3.3	1.9	1
	136	12.1	1	0.6	0.35	3.3	1.9	1
D305-04-027	195	14.1	1	0.5	0.41	3.3	1.7	1
	189	11.1	1	0.5	0.32	3.3	1.7	1
D305-04-030	365	19.8	3.8	3.2	0.58	12.5	10.6	1
Incl.	366	131.8	0.5	0.4	3.84	1.6	1.4	1
D305-04-031	365	14.2	2.2	1.7	0.41	7.2	5.6	1
	377	10.5	1	0.8	0.31	3.3	2.6	1
D305-04-032	360	12.7	1.7	1.2	0.37	5.6	4	1
	376	16.3	2.2	Not Yet Known	0.48	7.2	Not Yet Known	1
D305-04-033	384	14.4	2.3	1.4	0.42	7.5	4.7	1
Incl.	385	26	1.1	0.7	0.76	3.6	2.3	1
	394	11.1	1.4	0.9	0.32	4.6	2.9	1
	414	19.7	2	1.3	0.57	6.6	4.1	1
	414	19.7	2	1.3	0.57	6.6	4.1	1
	414	19.7	2	1.3	0.57	6.6	4.1	1
Incl.	429	56.2	1	0.6	1.64	3.3	1.8	1
D305-04-036	405	13.4	2	1	0.39	6.6	3.2	1
	484	17.7	1	0.5	0.52	3.3	1.6	1
D305-04-039	254	11.5	1	0.8	0.34	3.3	2.7	1
	249	11.2	1.9	Not Yet Known	0.33	6.2	Not Yet Known	1
D305-04-040	248	13.9	1	0.8	0.41	3.3	2.5	1
D305-04-041	322	33	1	1	0.96	3.3	3.1	1
	326	25.8	7	6.7	0.75	23	22	1
Incl.	325	69.7	2	1.9	2.03	6.6	6.3	1
D305-04-043	334	46.1	1	0.8	1.34	3.3	2.7	1
	363	13.7	1	0.8	0.4	3.3	2.7	1
D305-04-044	347	34.8	4.1	Not Yet Known	1.02	13.4	Not Yet Known	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

RUBICON MINERALS CORPORATION

RMX:TSX | RBY:NYSE.AMEX

Hole	Elevation Level	Gold (g/t)	Width (m)	Estimated True Width (m)	Gold (oz/ton)	Width (ft)	Estimated True Width (ft)	9X Target Area
Incl.	346	123.5	1	Not Yet Known	3.6	3.3	Not Yet Known	1
	369	20.9	2	1.5	0.61	6.6	5	1
	371	14.9	2	1.5	0.43	6.6	5	1
D305-04-045	386	77.9	2	1.4	2.27	6.6	4.6	1
Incl.	386	298.4	0.5	0.4	8.7	1.6	1.2	1
	390	12.4	1	0.7	0.36	3.3	2.3	1
D305-04-046	366	10	3	1.9	0.29	9.8	6.2	1
	409	10.7	5.9	3.7	0.31	19.4	12.1	1
Incl.	408	34.3	1.1	0.7	1	3.6	2.3	1
Incl.	410	36.6	0.5	0.3	1.07	1.6	1	1
D305-04-047	245	10.7	1	0.7	0.31	3.3	2.3	1
	239	111.2	0.5	0.4	3.24	1.6	1.1	1
	215	12.3	1	0.7	0.36	3.3	2.3	1
D305-05-050	265	16.4	1	0.9	0.48	3.3	2.9	1
	261	31.2	1	0.9	0.91	3.3	2.9	1
D305-05-051	254	13.9	6	Not Yet Known	0.41	19.7	Not Yet Known	1
D305-05-052	314	17.3	2.5	2.3	0.5	8.2	7.7	1
Incl.	314	27.8	1.5	1.4	0.81	4.9	4.6	1
D305-05-053	321	54.5	1.4	1.2	1.59	4.6	4	1
D305-05-057	339	21.5	0.9	0.5	0.63	3	1.7	1
D305-05-058A	257	29.6	0.5	0.4	0.86	1.6	1.2	1
	238	30.7	0.6	0.4	0.9	2	1.4	1
D305-05-059	254	39.5	17.3	11.2	1.15	56.8	37	1
Incl.	254	180	3.6	2.4	5.25	11.8	7.8	1
	229	16.5	1	0.7	0.48	3.3	2.2	1
D305-06-009	243	22.1	2.9	1.8	0.64	9.5	5.8	1
Incl.	244	117	0.5	0.3	3.41	1.6	1	1
D305-06-016	362	10.9	1.5	0.8	0.32	4.9	2.7	1
D305-04-025	229	10.4	1.5	Not Yet Known	0.3	4.9	Not Yet Known	1
	226	11.4	1.7	Not Yet Known	0.33	5.6	Not Yet Known	1
D305-04-026	220	14.5	1	0.6	0.42	3.3	1.9	1
	217	11.3	1	0.6	0.33	3.3	1.9	1
	213	19.9	1	0.6	0.58	3.3	1.9	1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

RUBICON MINERALS CORPORATION

RMX:TSX | RBY:NYSE.AMEX

Hole	Elevation Level	Gold (g/t)	Width (m)	Estimated True Width (m)	Gold (oz/ton)	Width (ft)	Estimated True Width (ft)	9X Target Area
	173	12.8	1	0.6	0.37	3.3	1.9	1
	136	12.1	1	0.6	0.35	3.3	1.9	1
D305-04-027	195	14.1	1	0.5	0.41	3.3	1.7	1
	189	11.1	1	0.5	0.32	3.3	1.7	1
D305-04-030	365	19.8	3.8	3.2	0.58	12.5	10.6	1
Incl.	366	131.8	0.5	0.4	3.84	1.6	1.4	1
D305-04-031	365	14.2	2.2	1.7	0.41	7.2	5.6	1
	377	10.5	1	0.8	0.31	3.3	2.6	1
D305-04-032	360	12.7	1.7	1.2	0.37	5.6	4	1
	376	16.3	2.2	Not Yet Known	0.48	7.2	Not Yet Known	1
D305-04-033	384	14.4	2.3	1.4	0.42	7.5	4.7	1
Incl.	385	26	1.1	0.7	0.76	3.6	2.3	1
	394	11.1	1.4	0.9	0.32	4.6	2.9	1
	414	19.7	2	1.3	0.57	6.6	4.1	1
	439	26.3	1.1	Not Yet Known	0.77	3.6	Not Yet Known	1
D305-04-035	430	24.6	3.3	1.8	0.72	10.8	6	1
Incl.	429	56.2	1	0.6	1.64	3.3	1.8	1
D305-04-036	405	13.4	2	1	0.39	6.6	3.2	1
	484	17.7	1	0.5	0.52	3.3	1.6	1
D305-04-039	254	11.5	1	0.8	0.34	3.3	2.7	1
	249	11.2	1.9	Not Yet Known	0.33	6.2	Not Yet Known	1
D305-04-040	248	13.9	1	0.8	0.41	3.3	2.5	1
D305-04-041	322	33	1	1	0.96	3.3	3.1	1
	326	25.8	7	6.7	0.75	23	22	1
Incl.	325	69.7	2	1.9	2.03	6.6	6.3	1
D305-04-043	334	46.1	1	0.8	1.34	3.3	2.7	1
	363	13.7	1	0.8	0.4	3.3	2.7	1
D305-04-044	347	34.8	4.1	Not Yet Known	1.02	13.4	Not Yet Known	1
Incl.	346	123.5	1	Not Yet Known	3.6	3.3	Not Yet Known	1
	369	20.9	2	1.5	0.61	6.6	5	1
	371	14.9	2	1.5	0.43	6.6	5	1
D305-04-045	386	77.9	2	1.4	2.27	6.6	4.6	1


Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

RUBICON MINERALS CORPORATION

RMX:TSX | RBY:NYSE.AMEX

Hole	Elevation Level	Gold (g/t)	Width (m)	Estimated True Width (m)	Gold (oz/ton)	Width (ft)	Estimated True Width (ft)	9X Target Area
Incl.	386	298.4	0.5	0.4	8.7	1.6	1.2	1
	390	12.4	1	0.7	0.36	3.3	2.3	1
D305-04-046	366	10	3	1.9	0.29	9.8	6.2	1
	409	10.7	5.9	3.7	0.31	19.4	12.1	1
Incl.	408	34.3	1.1	0.7	1	3.6	2.3	1
305-53	1028	3.1	7		0.09	23		1
305-53	1089	6.7	7		0.2	23		1
Incl.	1088	30.6	0.8		0.89	2.6		1
305-54	270	5.8	2		0.17	6.6		1
305-54	266	3.9	18		0.11	59		1
Incl.	266	10	3		0.29	9.8		1
305-54	239	3	8.2		0.09	26.9		1
305-55A	241	9.2	6.3		0.27	20.7		1
Incl.	242	72.2	0.6		2.11	2		1
And Incl.	239	14.6	0.7		0.43	2.3		1
305-55A	193	3.5	4		0.1	13.1		1
Incl.	193	10.2	1		0.3	3.3		1
305-55A	140	5.4	2		0.16	6.6		1
305-56	531	48.3	4		1.41	13.1		1
Incl.	532	179.2	1		5.23	3.3		1
305-56	538	3.4	3		0.1	9.8		1
305-57	463	3.7	2.9		0.11	9.5		1
305-57	470	9.1	1.2		0.27	3.9		1
305-57	528	3.9	3.9		0.11	12.8		1
Incl.	527	12.1	0.9		0.35	3		1
305-58	613	17.8	4		0.52	13.1		1
Incl.	612	39.9	1.3		1.16	4.3		1
And Incl.	613	24.4	0.6		0.71	2		1
305-59	460	19.7	1		0.57	3.3		1
305-60	670	3.6	3.2		0.11	10.5		1
305-61	213	11.8	1		0.34	3.3		1
305-61	181	47.1	4.5		1.37	14.8		1
Incl.	180	403.5	0.5		11.77	1.6		1
305-62	Anomalous							
305-63	Anomalous							
305-64	Anomalous							
305-65	268	6.2	7		0.18	23		1
Incl.	268	14.5	2		0.42	6.6		1
Incl.	268	25.6	1		0.75	3.3		1
305-66	428	3.3	3		0.1	9.8		1
305-66	538	15.1	2.7		0.44	8.9		1
Incl.	538	75.4	0.5		2.2	1.6		1
305-67	320	3.9	7		0.11	23		1
Incl.	320	16.9	1		0.49	3.3		1



Hole	Elevation Level	Gold (g/t)	Width (m)	Estimated True Width (m)	Gold (oz/ton)	Width (ft)	Estimated True Width (ft)	9X Target Area
305-68	Anomalous							
305-69	Anomalous							
305-70	476	115.4	1		3.37	3.3		1
305-71	410	11.1	3		0.32	9.8		1
Incl.	410	53.4	0.5		1.56	1.6		1
305-71	425	6.4	12		0.19	39.4		1
Incl.	423	10.4	3.2		0.3	10.5		1
305-72	487	125.3	0.5		3.65	1.6		4
305-73	586	5.8	5		0.17	16.4		2
Incl.	587	25.6	1		0.75	3.3		2
305-73	742	3.4	5		0.1	16.4		5
305-73	754	3.1	15		0.09	49.2		5
Incl.	749	18.9	1		0.55	3.3		5
305-73	775	5.8	17		0.17	55.8		5
Incl.	772	10.8	3		0.32	9.8		5
And Incl.	779	11.1	4		0.32	13.1		5
305-74	507	4.5	7		0.13	23		4
305-74	513	3.9	8		0.11	26.2		4
305-75	472	10.6	3		0.31	9.8		1
305-75	483	10	8		0.29	26.2		1
Incl.	483	34.5	2		1.01	6.6		1
305-75	499	21.2	0.5		0.62	1.6		1
305-75	541	3.2	7		0.09	23		1
Incl.	539	13.6	1		0.4	3.3		1
305-75	579	20.4	0.6		0.6	2		2
305-75	676	3	9.4		0.09	30.8		5
305-75	698	3.4	8		0.1	26.2		5
Incl.	698	10.3	1		0.3	3.3		5
305-76	785	3.6	4.1		0.11	13.4		5
305-77	452	3	3.5		0.09	11.5		4
305-77	455	4.2	9		0.12	29.5		4
Incl.	456	21.7	1		0.63	3.3		4
305-78	401	5.3	3		0.15	9.8		1
305-78	406	3.2	11.1		0.09	36.4		1
305-78	444	6.2	11		0.18	36.1		3
Incl.	444	11.9	3		0.35	9.8		3
305-79	399	7.4	2		0.22	6.6		1
Incl.	399	13.4	1		0.39	3.3		1
305-79	432	120.6	1		3.52	3.3		1
305-79	496	12.2	1		0.36	3.3		4
305-79	500	21.5	3		0.63	9.8		4
Incl.	501	73.9	0.8		2.16	2.6		4
305-79	577	3.5	3		0.1	9.8		6
305-80	Anomalous							
305-81	421	117.5	1		3.43	3.3		1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

RUBICON MINERALS CORPORATION

RMX:TSX | RBY:NYSE.AMEX

Hole	Elevation Level	Gold (g/t)	Width (m)	Estimated True Width (m)	Gold (oz/ton)	Width (ft)	Estimated True Width (ft)	9X Target Area
305-82	513	6.9	4		0.2	13.1		1
Incl.	513	16.2	1		0.47	3.3		1
305-82	598	5.3	2		0.15	6.6		5
305-82	607	4.6	11		0.13	36.1		5
Incl.	607	10	2		0.29	6.6		5
305-82	637	21.6	3.1		0.63	10.2		5
305-82	651	4.4	2.5		0.13	8.2		5
305-83	490	9.8	13.7		0.29	44.9		4
Incl.	492	37.4	3		1.09	9.8		4
305-84	463	3.4	3		0.1	9.8		1
305-84	469	6.3	2.1		0.18	6.9		1
305-84	491	30.6	1.1		0.89	3.6		1
305-84	498	13.6	1		0.4	3.3		1
305-84	519	4.1	3		0.12	9.8		1
305-85	236	4.4	5		0.13	16.4		1
305-85	230	18	1		0.53	3.3		1

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Elevation	Gold (g/t)	Width (m)	Gold (oz/ton)	Width (ft)	9X Target Area
305-06-042	280	11.3	2.5	0.33	8.2	4
incl.	280	22.5	1.5	0.66	4.9	4
305-06-043	325	8.1	1.7	0.24	5.6	4
305-06-043	330	8.2	3	0.24	9.8	4
incl.	330	20.1	1	0.59	3.3	4
305-06-044	316	61.6	2	1.8	6.6	1
305-06-044	319	11.1	1	0.32	3.3	1
305-06-044	386	31.4	0.5	0.92	1.6	4
305-06-046	305	16.9	1	0.49	3.3	1
305-06-048	322	12.5	0.5	0.36	1.6	1
305-06-050	325	16.1	1.4	0.47	4.6	1
305-06-050	449	9.5	2	0.28	6.6	4
305-06-051	275	23.6	1	0.69	3.3	1
305-06-051	236	27.1	0.8	0.79	2.6	4
305-06-051	243	12.4	1	0.36	3.3	4
305-06-084	307	22.9	1	0.67	3.3	4
305-89	646	13.2	3	0.39	9.8	6
incl.	646	18.4	2	0.54	6.6	6
305-93	142	8.9	3	0.26	9.8	1
305-96	158	7.5	3.4	0.22	11.2	1
incl.	158	14.3	1	0.42	3.3	1
305-97	402	11.5	5.3	0.33	17.4	3
incl.	402	18.4	1	0.54	3.3	3
305-101	208	160.4	0.5	4.68	1.6	1
305-101	184	16.6	1	0.48	3.3	1
305-103	476	56.7	1	1.65	3.3	1
incl.	476	112.2	0.5	3.27	1.6	1
	694	9	4	0.26	13.1	5
incl.	692	48.1	0.5	1.4	1.6	5
305-103	729	7.8	2	0.23	6.6	5
305-103	736	15	0.8	0.44	2.6	5
305-103	986	29.6	1	0.86	3.3	5
305-104	264	10.7	1	0.31	3.3	1
305-105	286	11.7	4	0.34	13.1	1
305-105	278	20.6	0.5	0.6	1.6	1
305-106	456	12.9	1.9	0.38	6.2	1
305-106	612	14.3	3	0.42	9.8	5
305-109	370	11.5	1	0.34	3.3	1
305-109	438	10.2	1	0.3	3.3	1
305-109	474	17.1	2	0.5	6.6	1
305-110	372	13.6	1.4	0.4	4.6	4
305-110	382	11.5	0.9	0.34	3	4
305-110	405	40.7	0.5	1.19	1.6	4
305-111	559	13.4	5.1	0.39	16.7	5
incl.	557	95.3	0.5	2.78	1.6	5

Legend

	0.2 – 0.5 gold (oz/t)
	0.5 – 1 gold (oz/t)
	>1 gold (oz/t)

Hole	Elevation	Gold (g/t)	Width (m)	Gold (oz/ton)	Width (ft)	9X Target Area
305-111	601	16.2	1.7	0.47	5.6	5
305-112	282	10.3	1	0.3	3.3	1
305-116	303	9.9	1.8	0.29	5.9	1
incl.	303	16.9	1	0.49	3.3	1
305-118	399	11.4	1	0.33	3.3	4
305-118	439	17.1	0.8	0.5	2.6	4
305-119	489	13.3	1	0.39	3.3	4
305-120	422	28	3	0.82	9.8	1
305-122	301	9.1	4.8	0.27	15.7	1
incl.	301	21.7	1.2	0.63	3.9	1
305-122	284	37.2	1.2	1.09	3.9	1
305-123	189	16.9	1	0.49	3.3	4
305-124	304	9	3	0.26	9.8	1
305-125	302	30.8	0.6	0.9	2	1
305-126	297	11.4	2	0.33	6.6	1
305-127	306	14.3	3.5	0.42	11.5	1
305-130	393	128.2	0.6	3.74	2	3
305-130	403	17.2	1	0.5	3.3	3
305-131	429	37.7	3	1.1	9.8	1
305-132	439	47.1	0.7	1.37	2.3	3
305-142	300	10.5	5	0.31	16.4	1

Legend

- 0.2 – 0.5 gold (oz/t)
- 0.5 – 1 gold (oz/t)
- >1 gold (oz/t)

Hole	Elevation	Gold (g/t)	Width (m)	Gold (oz/ton)	Width (ft)	9X Target Area	Zone
F2-2011-01	1187	13.1	1.1	0.38	3.6	8	New
incl.	1187	27.5	0.5	0.8	1.6	8	New
F2-2011-02	936	8	2	0.23	6.6	5	Blk5-Zn1
F2-2011-02	1070	90.9	0.5	2.65	1.6	5	New
F2-2011-02	1184	184.7	0.5	5.39	1.6	8	New
305-143	588	5.1	2	0.15	6.6	2	Blk5-Zn2
305-145	194	6.2	2	0.18	6.6	4	New
305-148	628	23.3	1	0.68	3.3	2	New
305-149	299	6.1	4	0.18	13.1	1	Blk5-Zn3
incl.	299	20.5	0.5	0.6	1.6	1	New
305-150	304	4.5	7.5	0.13	24.6	1	New
incl.	304	12.1	1	0.35	3.3	1	Blk5-Zn4
305-151	309	3.8	9.5	0.11	31.2	1	New
305-152	320	4.2	26.6	0.12	87.2	1	New
incl.	318	13.6	1	0.4	3.3	1	Blk5-Zn5
and incl.	328	16.9	1	0.49	3.3	1	New
305-153	438	10.7	3.7	0.31	12.1	3	New
incl.	437	34.8	1	1.02	3.3	3	Blk5-Zn6
305-154	374	6.2	2.7	0.18	8.9	1	New
incl.	374	12.4	1	0.36	3.3	1	New
305-155	417	8.1	4	0.24	13.1	3	Blk5-Zn7
incl.	418	18.5	1	0.54	3.3	3	New
305-155	421	20.5	1	0.6	3.3	3	New
305-155	426	156	4	4.55	13.1	3	Blk5-Zn8
incl.	426	1,219.60	0.5	35.57	1.6	3	New
305-156	445	5.2	6	0.15	19.7	1	New

Legend

0.2 – 0.5 gold (oz/t)

0.5 – 1 gold (oz/t)

>1 gold (oz/t)